



**Certificate of Analysis**  
Compliance Test

Client Information:

**Covert LLC**  
56 S Lexington Ave  
Asheville, NC 28801

Batch # n/a  
Batch Date: 2023-06-14  
Extracted From: Hemp


Test Reg State: Oregon

Order # SAY230614-030001  
Order Date: 2023-06-14  
Sample # AAE0629

Sampling Date: 2023-06-15  
Lab Batch Date: 2023-06-15  
Completion Date: 2023-06-24

Initial Gross Weight: 35.533 g

Number of Units: 1  
Net Weight per Unit: 1.000 g  
Sampling Method: MSP 7.3.1



Product Image

<b>Potency Tested</b>	<b>Pathogenic Passed</b>	<b>Heavy Metals Passed</b>	<b>2,3-Butanedione Passed</b>	<b>Mycotoxins Passed</b>
<b>Acetic Anhydride Tested</b>	<b>Pesticides Passed</b>	<b>Residual Solvents Passed</b>	<b>Listeria Monocytogenes Passed</b>	<b>Vitamin E Tested</b>

**Potency 25 (LCUV)**  
Specimen Weight: 56.090 mg

**Tested**  
SOP13.002 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	1000.000	2.60E-5	0.0015	533.2000	53.3200
THCA-A	1000.000	3.20E-5	0.0015	319.8000	31.9800
Delta-9-THCP *	100.000	1.17E-5	0.0012	44.2400	4.4240
CBNA	10.000	9.50E-5	0.0015	6.8560	0.6856
CBN	10.000	1.40E-5	0.0015	6.0950	0.6095
Delta-8 THCV	10.000	4.00E-5	0.0015	4.2680	0.4268
CBGA	10.000	8.00E-5	0.0015	2.5500	0.2550
CBT	10.000	2.00E-4	0.0015	2.0700	0.2070
CBCA	10.000	1.07E-4	0.0015	1.7210	0.1721
THCVA	10.000	4.70E-5	0.0015	1.3610	0.1361
CBL	10.000	3.50E-5	0.0015	0.7630	0.0763
Delta-8-THCP *	10.000	3.75E-4	0.0015	0.6850	0.0685
CBC	10.000	1.80E-5	0.0015	<LOQ	<LOQ
CBD	10.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.0015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.0015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.003	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.0015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.00195	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.00195	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD	1000.000			<LOQ	<LOQ
Total Active THC	1000.000			280.465	28.046


**Potency Summary**

<b>Total Active THC</b> 28.046%	280.460mg	<b>Total Active CBD</b> None Detected
<b>Total CBG</b> 0.224%	2.240mg	<b>Total CBN</b> 12.110mg
<b>Other Cannabinoids</b> 58.793%	587.930mg	<b>Total Cannabinoids</b> 882.740mg

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta-8-THCP + Delta-9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta-8-THC + Delta-9-THC + Total CBN + CBT + CBE + Delta-8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta-10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**Covert LLC**  
56 S Lexington Ave  
Asheville, NC 28801

Batch # n/a  
Batch Date: 2023-06-14  
Extracted From: Hemp

Test Reg State: Oregon

Order # SAY230614-030001  
Order Date: 2023-06-14  
Sample # AAE0629

Sampling Date: 2023-06-15  
Lab Batch Date: 2023-06-15  
Completion Date: 2023-06-24

Initial Gross Weight: 35.533 g

Number of Units: 1  
Net Weight per Unit: 1.000 g  
Sampling Method: MSP 7.3.1

**2,3-butanedione(Diacetyl)**  
Specimen Weight: 10.500 mg

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	.024	0.024	<LOQ

**Passed**  
SOP13.039 (GCMS)

**Acetic Anhydride**  
Specimen Weight: 101.800 mg

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Acetic Anhydride	.527	50	<LOQ

**Tested**  
SOP13.046 (GCMS)

**Listeria Monocytogenes**  
Specimen Weight: 1011.000 mg

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result
Listeria Monocytogenes	1	Absence in 1g

**Passed**  
SOP13.032 (qPCR)

**Vitamin E (Tocopheryl Acetate)**  
Specimen Weight: 599.000 mg

Dilution Factor: 2.500

Analyte	LOD (ppb)	Result (ppb)
Tocopheryl Acetate (Vitamin E Acetate)	.705	<LOQ

**Tested**  
SOP13.007 (LC-MS)

**Microbiology Pathogenic SAE Microarray**  
Specimen Weight: 1030.300 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Escherichia coli specific gene	Passed	Salmonella	Passed
Aspergillus flavus	Passed		

**Passed**  
SOP13.019 (Micro Array)

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**Covert LLC**  
56 S Lexington Ave  
Asheville, NC 28801

Batch # n/a  
Batch Date: 2023-06-14  
Extracted From: Hemp

Test Reg State: Oregon

Order # SAY230614-030001  
Order Date: 2023-06-14  
Sample # AAE0629

Sampling Date: 2023-06-15  
Lab Batch Date: 2023-06-15  
Completion Date: 2023-06-24

Initial Gross Weight: 35.533 g

Number of Units: 1  
Net Weight per Unit: 1.000 g  
Sampling Method: MSP 7.3.1

**Heavy Metals**  
Specimen Weight: 253.200 mg

**Passed**  
SOP13.048 (ICP-MS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ

**Mycotoxins**  
Specimen Weight: 599.000 mg

**Passed**  
SOP13.007 (LCMS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

**Residual Solvents - FL (CBD)**  
Specimen Weight: 10.500 mg

**Passed**  
SOP13.039 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	30.786	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**Covert LLC**  
56 S Lexington Ave  
Asheville, NC 28801

Batch # n/a  
Batch Date: 2023-06-14  
Extracted From: Hemp

Test Reg State: Oregon

Order # SAY230614-030001  
Order Date: 2023-06-14  
Sample # AAE0629

Sampling Date: 2023-06-15  
Lab Batch Date: 2023-06-15  
Completion Date: 2023-06-24

Initial Gross Weight: 35.533 g

Number of Units: 1  
Net Weight per Unit: 1.000 g  
Sampling Method: MSP 7.3.1

**Pesticides**  
Specimen Weight: 599.000 mg  
Dilution Factor: 2.500

Passed

SOP13.007 (LCMS/GCMS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	100	58.123	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclbutrazol	6.5000E-2	30	100	<LOQ
Chloromequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pemethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.

